



Jofemar
VENDING

Coffeemar

BLUETEC





COFFEEMAR BLUETEC G335



COFFEEMAR BLUETEC G546



COFFEEMAR BLUETEC G546 MASTER



VANDAL-PROOF
LOCK



OPTIMISED
CAPACITY AND
VOLUME



ENERGY-SAVING
LED LIGHTING



BANKNOTE
AND COIN
MECHANISM
PAYMENT
SYSTEMS

Coffeemar B L U E T E C

A coffee... with style

This range represents the perfect combination of technological innovation and special features with an elegant and modern finishing. Available in different configurations, Coffeemar Bluetec stands out for its new aluminium boiler and its product selection touch keyboard, as well as for its striking new look and improvements in design, labels and lighting. It is the most versatile and reliable model, suitable for any location thanks to its innovative design with a finish of stainless steel and glass.

FEATURES

- Pressure valve in the brewing unit to keep constant pressure during the complete brewing cycle.
- Motorised water distributor without electrovalves.
- Aluminium boiler with resistor and capped probes, with no contact with the water (avoiding o-rings and calcium oxide formation).
- Two cup-dispenser models, depending on the cup diameter (65-67 mm or 67-69 mm).
- Adjustable stir-stick dispenser, between 75 mm and 115 mm long.
- Self-cleaning of mixing bowls, product exit and grinder assembly: manual or automatic (programmable).
- Anti-steam sugar-adding system directly into the cup.
- Continuous temperature control of the water in the boiler.
- Braking system at collection drawer.
- Coffee bean grinder assembly (own module).
- Easy cleaning and maintenance of removable elements.

STRUCTURE

- Tempered glass front embedded in metal, with no access to the sides.
- Smudge-proof stainless steel finishing.
- Steel cabinet treated against corrosion and rust and vandal-proof lock with a crowbar-resistant door integrated into the structure.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with connection for both Executive and MDB protocols, five return tubes and T-15 coin validator with the most reliable fraud-prevention systems.

PROGRAMMING

- General on site programming through the machine's keyboard, EasyFlash hand terminal, PC or modem by telemetry using the Jofemar Vending Track management software.
- Data storage and stock control and accounting.

OPTIONS

- Self-feeding water kit (one or two 25L tanks, in the G546 model).
- Coffeemar Bluetec G546 Master fitted to be connected to a Vision ES or ES Plus Vending machine.
- Screen on the upper part of the G546 model for videos and nutritional facts.
- Water filters: anti-scale or flavour.
- Card and banknote payment systems.
- Telemetry by GSM or GPRS modem using Jofemar Vending Track software.
- Customisable image.





A new dimension in which the image of the POS and the product quality are combined to completely satisfy the customer.



	COFFEEMAR BLUETEC G335	COFFEEMAR BLUETEC G546	COFFEEMAR BLUETEC G546 MASTER
Services	300	500	500
Canisters	5+beans	6+beans	6+beans
Selections+preselection	18+3	18+3	18+3
Whippers	3	4	4
Graphic display	92 x 53 mm	92 x 53 mm	92 x 53 mm
Size	1,500 x 500 x 575 mm	1,825 x 600 x 575 mm	1,825 x 600 x 575 mm
Weight	100 kg	140 kg	140 kg
Mains water supply	3/4 GAS		
Energy supply	230 V, 50 Hz*		
Maximum power	1,100 watts		
Estimated energy consumption	1.02 Kwh/24 h. idle	1.21 Kwh/24 h. idle	1.21 Kwh/24 h. idle
Satellite vending machines	No	No	Yes

* Check for other voltages



MOTORIZED WATER
DISTRIBUTOR
WITHOUT
ELECTROVALVES



PRESSURE
VALVE IN THE
BREWING UNIT



ALUMINIUM
BOILER



TOUCH
KEYBOARD



SMUDGE-PROOF
STAINLESS
STEEL



Jofemar
VENDING

Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA, Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com

