



Jofemar
VENDING

TAOS

*slim
basic
touch 10*



TAOS

The best payment and control for your machines.



VANDAL-PROOF
LOCK



ENERGY-SAVING
LED LIGHTING



BANKNOTE
AND COIN MECHANISM
PAYMENT SYSTEMS



TOUCH
SCREEN



ADAPTABLE AND
CUSTOMISABLE
MANAGEMENT
SOFTWARE



CAN BE
CONFIGURED
DEPENDING
ON NEEDS



REMOTE CLOUD
CONNECTION

The TAOS system is the perfect solution to completely manage satellite vending machines. Features the most advanced payment systems to control up to a combination of 4 slave vendors.

This new concept allows the installation of a multi-product vending point that takes up less space and offers different payment systems. It has one of the widest ranges of payment modules on the market.

Our solution stands out for featuring a fast and intuitive system to streamline the purchasing system and improve the user experience through the implementation of interactive touch screens.

TAOS Slim. The TAOS Slim is the most suitable control unit to simultaneously manage up to 4 satellite vending machines in locations with limited space. Being the narrowest module, it allows to implement an installation that occupies less space, without reducing the offer in payment systems.

TAOS Basic. The most suitable solution for the total control of satellite vending machines. It equips the most advanced payment systems to manage up to 4 dispensing units, so they can work autonomously.

TAOS Touch 10. Control unit with integrated payment systems based on customer needs and able to manage up to 4 dispensing units. It includes a 10.1" touch screen with capacitive keyboard and offers an interactive navigation system or product selection based on categories, among others.

FEATURES

- Vending machine temperature control through the module.
- Continuous performance self-testing.
- Security, both in payments and in the sale of products. TAOS feature vandal-proof locks and payment systems with the latest advances in anti-fraud systems. In addition, they incorporate programmable security systems that avoid the sale of products unfit for consumption, control the temperature and their expiry.
- Compatibility with satellite vending machines.
- Interactivity. Possibility of featuring 10,1 and 17" touchscreens.
- Previous integration, and as an option, allows the use of customer loyalty cards.
- Management automation thanks to web telemetry. Optimum traceability of products and stocks.
- Reliability in data capture.

STRUCTURE

- Modular cabinet structure, treated against rust and corrosion.
- Vandal-proof security lock with six anchor points and metallic coin entrance.
- High-capacity cash box with lock.



TAOS Slim

FEATURES

- Prepared to control the temperature of the vending machine.
- Performance continuous self-testing.
- Security, both in payments and in the sale of products.
- Dimensions and weights: 1825x 171,5x936 mm / 101,64Kg.

STRUCTURE

- Vandal-proof security lock with six anchor points and metallic coin entrance.
- High-capacity cash box with lock.

CREDIT MANAGEMENT

- Jofemar card and key reader or any card reader that works in MDB protocol.
- Equips Jofemar coin mechanism and bill reader.

PROGRAMMING

- System of programming and visualization of accounting data integrated and accessible from inside the machine.
- Compatible with Jofemar EasyFlash handheld terminal for data injection and data extraction.
- Compatible with the latest telemetry systems for the integral management of the machine remotely.
- RS232 port with accounting data output.

OPTIONS:

- ADA model available.

TAOS Basic

FEATURES

- Control unit with integrated payment systems capable of managing up to four dispensing units.
- Includes a display for viewing prices and credit.
- Possibility of installing J-LINK communications system and J-SUITE telemetry system. Online operation, with real time control of users and sales if we integrate customer loyalty cards.
- Metal and Bluetec finishes.
- Dimensions and weights: 1825x248x936 mm / 110,25Kg.

STRUCTURE

- Vandal-proof security lock with six anchor points and metallic coin entrance.
- High-capacity cash box with lock.
- As an option, includes tickets printer.

CREDIT MANAGEMENT

- MDB or Executive protocol.
- Innovative Jofemar coin mechanism.
- Allows installation of card and banknote readers.

PROGRAMMING

- General on site programming with the machine's keyboard and the LCD screen messages.
- Compatible with the Jofemar EasyFlash hand terminal for stock control and accounting.
- Compatible with the latest telemetry systems for the end-to-end remote machine management.
- RS232 port with accounting data output.

OPTIONS:

- ADA model available.

TAOS Touch 10

FEATURES

- Control unit with integrated payment systems capable of managing up to a maximum of four dispensing units.
- It equips a 10.1-inch capacitive touchscreen to select products, display detailed information on all of them, as well as credit information.
- Interactive navigation. Product selection based on categories and multi-language support.
- Dimensions and weights: 1825x248x936 mm / 112,98Kg.
- Manufactured according to regulations ADA.

STRUCTURE

- Vandal-proof coin return drawer, with controlled lighting and greater capacity.
- Interchangeable peripheral board system.

CREDIT MANAGEMENT

- Coin payment systems (separator + 4 autorechargeable Hoppers).
- Banknote payment systems: BT11, NV11 y NV200.
- Possibility of incorporating printer and different bank card readers.
- Fitted to include tickets printer (receipt and accounting).

PROGRAMMING

- Programming and accounting data visualization system integrated and accessible using the touch screen of the machine.
- Compatible with the Jofemar EasyFlash handheld terminal for data loading.
- Compatible with the latest telemetry systems for the integral management of the machine remotely.
- RS232 port with accounting data output.



Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA, Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com

